

Arus Hubung Singkat G/GITET P2B Semester 1 Tahun 2017

No.	Bus	G/GITET	APB	TSG		Impedansi Urutan Positif		Impedansi Urutan Negatif		Impedansi Urutan Nol		Arus Hubung Singkat	
				kV	R1(pu)	X1(pu)	R2(pu)	X2(pu)	R0(pu)	X0(pu)	1phi(kA)	3phi(kA)	
188	I-5	NANTSU	APB DKI Jakarta Banten	150	0.00153888	0.02299118	0.00151208	0.02315599	0.0035708	0.02458172	17.846	18.347	
189	I-5	NEW BALAPALAS	APB DKI Jakarta Banten	150	0.00041617	0.01152402	0.00039388	0.01164336	0.00040434	0.00361345	46.923	36.638	
190	I-5	NEW BALAPALAS	APB DKI Jakarta Banten	150	0.00035556	0.01630903	0.00033278	0.01641661	0.00040302	0.00404123	34.484	25.929	
191	A-5	NEW PRIOK	APB DKI Jakarta Banten	150	0.00064182	0.01356293	0.00116389	0.01407422	0.0063119	0.03171413	21.135	31.117	
192	B-5	NEW PRIOK	APB DKI Jakarta Banten	150	0.00064182	0.01356293	0.00116389	0.01407422	0.0063119	0.03171413	21.135	31.117	
193	I-5	NEW SENAYAN	APB DKI Jakarta Banten	150	0.00100812	0.01194073	0.00091735	0.01124918	0.003035	0.01138012	36.148	35.196	
194	I-5	NEW SENAYAN	APB DKI Jakarta Banten	150	0.00091555	0.01452801	0.00121732	0.01489038	0.00292099	0.01931858	25.841	29.016	
195	I	P KABANG	APB DKI Jakarta Banten	150	0.00091555	0.01452801	0.00121732	0.01489038	0.00292099	0.01931858	25.841	29.016	
196	I-5	PANTAI INDAH KAPUK	APB DKI Jakarta Banten	150	0.000246196	0.02279493	0.00226796	0.02171141	0.00417282	0.04233003	14.527	18.425	
197	I-5	PANTAI INDAH KAPUK	APB DKI Jakarta Banten	150	0.000246196	0.02279493	0.00226796	0.02171141	0.00417282	0.04233003	14.527	18.425	
198	I-5	PASAR KEMAS	APB DKI Jakarta Banten	150	0.00093709	0.01649495	0.00090737	0.01615152	0.00449864	0.02359889	23.419	28.219	
200	I-5	PASAR KEMAS	APB DKI Jakarta Banten	150	0.00093709	0.01649495	0.00090737	0.01615152	0.00449864	0.02359889	23.419	28.219	
201	I-5	PEGANGSAN	APB DKI Jakarta Banten	150	0.00131199	0.01928452	0.00116241	0.02032018	0.00254485	0.01339526	23.779	21.864	
202	I-5	PEGANGSAN	APB DKI Jakarta Banten	150	0.00068477	0.01432103	0.00116096	0.01450154	0.00252014	0.01002083	26.887	29.605	
203	I-4	PELABUHAN RATU	APB DKI Jakarta Banten	70	0.1339401	0.4237716	0.1321671	0.4207621	1.668306	0.7668354	1.079	2.039	
204	I-5	PELABUHAN RATU 5	APB DKI Jakarta Banten	150	0.00105169	0.01315361	0.00031988	0.00766583	0.02682713	0.			