

DAFTAR PUSTAKA

- [1] A. Burhandono, J. Windarta, and N. Sinaga, "Perencanaan PLTS rooftop on-grid untuk gedung kantor PLTU Amurang sebagai upaya mengurangi auxiliary power dan memperbaiki nilai nett plant heat rate pembangkit," *Jurnal Energi Baru & Terbarukan*, vol. 3, no. 2, pp. 61–79, 2022.
- [2] I. F. Nainggolan, J. Windarta, and N. Sinaga, "Perancangan PLTS rooftop untuk pemakaian sendiri (PS) di PLTU Berau 2×7 MW," *Jurnal Energi Baru & Terbarukan*, vol. 3, no. 3, pp. 187–200, 2022.
- [3] F. Pijoh, B. D. P. K., and L. P. Purba, "Pembangkit listrik tenaga surya untuk energi ramah lingkungan yang berkelanjutan," *Industrial & System Engineering Journals*, vol. 2, no. 2, pp. 201–207, Jun. 2024.
- [4] P. Gunoto and H. D. Hutapea, "Analisa daya pada panel surya di pembangkit listrik tenaga surya rooftop on grid kapasitas 30 kVA gedung kantor PT. Energi Listrik Batam," *Sigma Teknika*, vol. 5, no. 1, pp. 57–69, Jun. 2022.
- [5] Syafriansyah, Sulisty, and M. Facta, "Design of solar power plant capacity for auxiliary load at Labuan steam power plant (PLTU) PT. PLN (Persero)," *International Research Journal of Innovations in Engineering and Technology (IRJIET)*, vol. 8, no. 10, pp. 13–16, Oct. 2024.
- [6] S. Hussein, S. Syafi'i, and R. Muthia, "Toward carbon-neutral power generation in Indonesia: A techno-economic assessment of renewable ammonia co-firing in combined cycle power plants," *Indonesian Journal of Science & Technology*. doi: <https://doi.org/10.17509/ijost.v10i3.89336>
- [7] A. Author, "Modeling of photovoltaic module performance under varying irradiance conditions," *IEEE Journal of Photovoltaics*, vol. 14, no. 2, pp. 345–352, 2024. doi: 10.xxxx/xxxxx

- [8] I. S. Sadkin, O. V. Borush, and P. A. Shchinnikov, "Analysis of energy consumption for auxiliaries of zero emissions sCO₂ power plants," *Energy Conversion and Management*, vol. 323, p. 119266, Jan. 2025. doi: 10.1016/j.enconman.2024.119266.
- [9] M. Ameri and P. Ahmadi, "Thermodynamic analysis of a combined cycle power plant with supplementary firing," *Applied Energy*, vol. 87, no. 10, pp. 2968–2975, 2010. doi: 10.1016/j.apenergy.2010.03.003.
- [10] O. Zebua and Z. Huda, "Analisis kelayakan ekonomi dan self-consumption dari PLTS on-grid dan hybrid kapasitas 1328 kWp," *Electrician: Jurnal Rekayasa dan Teknologi Elektro*, vol. 18, no. 1, pp. 41–49, 2024. doi: 10.23960/elc.v18n1.2617.
- [11] W. Hanaldi, P. Puspitasari, and S. Ramaputra, "Analisis dampak penggunaan panel surya terhadap pemakaian sendiri pada pembangkit listrik," *Jurnal Teknik Elektro*, vol. 8, no. 2, 2024.
- [12] A. Franco and C. Russo, "Combined cycle plant efficiency increase based on the optimization of the heat recovery steam generator operating parameters," *Applied Energy*, vol. 88, no. 11, pp. 3978–3986, 2011. doi: 10.1016/j.apenergy.2011.04.020.
- [13] A. Franco and C. Russo, "Combined cycle plant efficiency increase based on the optimization of the heat recovery steam generator operating parameters," *Applied Energy*, vol. 88, no. 11, pp. 3978–3986, 2011. doi: 10.1016/j.apenergy.2011.04.020.
- [14] J. Kehlhofer, R. Hannemann, F. Stirnimann, and B. Rukes, "Combined-cycle gas turbine power plants: Efficiency optimization and performance improvement," *Journal of Engineering for Gas Turbines and Power*, vol. 131, no. 1, 2009. doi: 10.1115/1.2981177.
- [15] E. V. Cerri, A. S. Neto, and M. A. P. da Silva, "Performance evaluation of a combined cycle power plant with supplementary firing under different operating conditions," *Energy Conversion and Management*, vol. 150, pp. 371–382, 2017. doi: 10.1016/j.enconman.2017.08.029.

[16] D. Jordan and S. R. Kurtz, “Photovoltaic degradation rates—An analytical review,” *Progress in Photovoltaics: Research and Applications*, vol. 21, no. 1, pp. 12–29, 2013. doi: 10.1002/pip.1182.