DAFTAR PUSTAKA

[1] A. Iswadi, Z. Arifin, J. Sugardjito, and R. Management, "Socio-Economic Analysis of Renewable Energy Based on Community at Small Isolated Island in Indonesia," pp. 0–2, 2024.

[2] A. N. Saelan, "Optimisasi Desain Sistem Tenaga Listrik Hybrid Menggunakan Multi-Objective Genetic Algorithm : Studi Kasus Pulau Adonara Nusa Tenggara Timur", doi: 10.14710/jebt.2025.25947.

[3] I. Conference and I. Electrical, "Proceeding 2020," no. October, pp. 20–21, 2020.

[4] W. Park, H. Abunima, M. B. Glick, and Y. Kim, "Energy Curtailment Scheduling MILP Formulation for an Islanded Microgrid with High Penetration of Renewable Energy," 2021.

[5] N. Sakthivelnathan, A. Arefi, C. Lund, A. Mehrizi-sani, and S. M. Muyeen, "Cost-effective reliability level in 100 % renewables-based standalone microgrids considering investment and expected energy not served costs Cost of Customer Interruption," *Energy*, vol. 311, no. September, p. 133426, 2024, doi: 10.1016/j.energy.2024.133426.

[6] T. W. Adi and C. Price, "The International Gas and Crude Oil Price Variability Effect on Indonesian Coal Mining Companies Listed at IDX," vol. 12, no. 5, pp. 1–10, 2022.

[7] T. W. Adi, S. R. Handayani, and S. M. Rahayu, "The Influence of Corporate Governance and Capital Structure on Risk , Financial Performance and Firm Value : A Study on the Mining Company Listed in Indonesia Stock Exchange in 2009-," vol. 5, no. 29, pp. 200–218, 2013.

[8] T. W. Adi, E. Prabowo, and O. Prasadjaningsih, "Influence of Electricity Consumption of Industrial and Business , Electricity Price , Inflation and Interest Rate on GDP and Investments in Indonesia," vol. 12, no. 3, pp. 331–340, 2022.

[9] P. T. Pln, "Rencana usaha penyediaan tenaga listrik (ruptl) 2025 - 2034," pp. 2025–

2034, 2025.

[10] H. B. Tambunan, “Mapping the Research Landscape : A Bibliometric Study of Fuel Cell Technologies and Microgrid Systems,” vol. 5, no. 3, pp. 223–238, 2023, doi: 10.52005/fidelity.v5i3.189.

[11] S. Sinha and S. S. Chandel, “Review of software tools for hybrid renewable energy systems,” *Renew. Sustain. Energy Rev.*, vol. 32, pp. 192–205, 2014, doi: 10.1016/j.rser.2014.01.035.

[12] M. Masih-tehrani, M. Ha, V. Esfahanian, and A. Safaei, “Optimum sizing and optimum energy management of a hybrid energy storage system for lithium battery life improvement,” *J. Power Sources*, vol. 244, pp. 2–10, 2013, doi: 10.1016/j.jpowsour.2013.04.154.

[13] A. I. Osman *et al.*, *Hydrogen production , storage , utilisation and environmental impacts : a review*. Springer International Publishing, 2022. doi: 10.1007/s10311-021-01322-8.

[14] P. Nikolaidis and A. Poullikkas, “A comparative overview of hydrogen production processes,” *Renew. Sustain. Energy Rev.*, vol. 67, pp. 597–611, 2017, doi: 10.1016/j.rser.2016.09.044.

[15] G. Shahgholian, “A brief review on microgrids : Operation , applications , modeling , and control,” no. March, pp. 1–28, 2021, doi: 10.1002/2050-7038.12885.

[16] S. Mekhilef, R. Saidur, and A. Safari, “Comparative study of different fuel cell technologies,” *Renew. Sustain. Energy Rev.*, vol. 16, no. 1, pp. 981–989, 2012, doi: 10.1016/j.rser.2011.09.020.

[17] X. Luo, J. Wang, M. Dooner, and J. Clarke, “Overview of current development in electrical energy storage technologies and the application potential in power system operation q,” vol. 137, pp. 511–536, 2015.

[18] W. S. From, “Table of Contents,” no. June, 2025.

[19] L. This, “Table of Contents,” no. April, 2023.

[20] C. K. Kim, “Energy System,” pp. 1–19, 2022.

[21] A. Set, “WORKING PAPER | NATIONAL”.

[22] A. Kirubakaran, S. Jain, and R. K. Nema, “A review on fuel cell technologies and power electronic interface,” vol. 13, pp. 2430–2440, 2009, doi: 10.1016/j.rser.2009.04.004.

[23] A. Jäger-waldau, “Snapshot of Photovoltaics À May 2023,” vol. 23, pp. 1–9, 2023.

[24] N. Ruhyat, “Introduksi Rantai Nilai Hidrogen Kurniawan Nanang Ruhyat”.

[25] I. F. Cell, T. S. Bogor, and I. F. Cell, *No Title*.

[26] I. S. Ijiyinka, I. S. Ijiyinka, and W. Virginia, “Optimal Design and Operation of Integrated Hydrogen Generation and Utilization Plants Optimal Design and Operation of Integrated Hydrogen Generation and Utilization Plants Department of Chemical and Biomedical Engineering,” 2023.

[27] C. Ghenai, M. Bettayeb, B. Brdjanin, and A. Kadir, “Case Studies in Thermal Engineering Hybrid solar PV / PEM fuel Cell / Diesel Generator power system for cruise ship : A case study in Stockholm , Sweden,” *Case Stud. Therm. Eng.*, vol. 14, no. June, p. 100497, 2019, doi: 10.1016/j.csite.2019.100497.

[28] H. F. Cell and P. P. Hidrogen, “Apa itu Teknologi Hydrogen Fuel ? Supply Chain Hydrogen Fuel Steam Reforming / Gasification Elektrolisis Hydrogen Fuel Pemanfaatan”.

[29] S. Ali, Z. Zheng, M. Aillerie, J. Sawicki, and D. Hissel, “A Review of DC Microgrid Energy Management Systems Dedicated to Residential Applications,” pp. 1–26, 2021.

[30] “Optimasi Tekno Ekonomi Sistem Energi Terbarukan Hibrida untuk Solusi Energi Berkelanjutan.”

[31] S. Jenderal and D. E. Nasional, “OUTLOOK,” 2023.

[32] “Żołądek, M., et al. (2022). Energy-Economic Assessment of Islanded Microgrid with Wind Turbine, Photovoltaic Field, Wood Gasifier, Battery, and Hydrogen Energy Storage (13).pdf.”

[33] S. Monte, C. Simulation, Z. Weng, J. Zhou, and Z. Zhan, “Reliability Evaluation of Standalone Microgrid Based on,” 2022.

[34] I. Sulaeman *et al.*, “Remote Microgrids for Energy Access in Indonesia — Part I : Scaling and Sustainability Challenges and A Technology Outlook,” 2021.

[35] D. Simatupang, I. Sulaeman, N. Moonen, R. Maulana, and S. Baharuddin, “Remote Microgrids for Energy Access in Indonesia — Part II : PV Microgrids and a Technology Outlook,” 2021.

[36] N. Sakthivelnathan, A. Arefi, C. Lund, A. Mehrizi-sani, and S. M. Muyeen, “Cost-effective reliability level in 100 % renewables-based standalone microgrids considering investment and expected energy not served costs Cost of Customer Interruption,” *Energy*, vol. 311, no. June 2023, p. 133426, 2024, doi: 10.1016/j.energy.2024.133426.

[37] T. M. I. Riayatsyah, T. A. Geumpana, I. M. R. Fattah, S. Rizal, and T. M. I. Mahlia, “Techno-Economic Analysis and Optimisation of Campus Grid-Connected Hybrid Renewable Energy System Using HOMER Grid,” 2022.

[38] A. Prawitasari, V. Nurliyanti, D. Maharani, P. Utami, and E. Nurdiana, “A systematic decision-making approach to optimizing microgrid energy sources in rural areas through diesel generator operation and techno-economic analysis : A case study of Baron Technopark in Indonesia,” vol. 13, no. 2, pp. 315–328, 2024.

[39] M. A. Omar, “Green mechanism : Opportunities for corporate investment in PV / battery / diesel hybrid systems with techno- economic and environmental analysis,” 2024, doi: 10.1177/01445987241269009.

[40] O. A. Odetoye, P. K. Olulope, O. M. Olanrewaju, A. O. Alimi, and O. G. Igbinosa, “Heliyon Multi-year techno-economic assessment of proposed zero-emission hybrid community microgrid in Nigeria using HOMER,” *Heliyon*, vol. 9, no. 9, p.

e19189, 2023, doi: 10.1016/j.heliyon.2023.e19189.

[41] S. Nallainathan, A. Arefi, C. Lund, and A. Mehrizi-sani, “Microgrid Reliability Incorporating Uncertainty in Weather and Equipment Failure,” 2025.

[42] H. Miao, Y. Yu, A. Kharrazi, and T. Ma, “Multi-criteria decision analysis for the planning of island microgrid system : A case study of Yongxing island , China,” *Energy*, vol. 284, no. October, p. 129264, 2023, doi: 10.1016/j.energy.2023.129264.

[43] A. Abubakar, “Optimum Configuration of a Renewable Energy System Using Multi-Year Parameters and Advanced Battery Storage Modules : A Case Study in Northern Saudi Arabia,” 2021.

[44] V. Loads, “Optimizing Fuel Efficiency on an Islanded Microgrid under Varying Loads,” pp. 1–21, 2022.

[45] A. A. Khan, A. F. Minai, A. Hakami, M. Alkahtani, and H. Malik, “Optimization and techno-economic- environmental analysis of a grid-tied hybrid renewable energy system for a subtropical Indian University,” pp. 1–30, 2025.

[46] “Jahed, A., et al. (2024). Techno-economic analysis of off-grid hybrid wind-photovoltaic-battery power system by analyzing different batteries for the industrial plant in Shiraz Industrial Town, Iran (25).pdf.”

[47] F. Ishraque, S. A. Shezan, M. M. Ali, and M. M. Rashid, “Optimization of load dispatch strategies for an islanded microgrid connected with renewable energy sources,” *Appl. Energy*, vol. 292, no. December 2020, p. 116879, 2021, doi: 10.1016/j.apenergy.2021.116879.

[48] F. Ishraque, “Optimal Sizing and Assessment of an Islanded Photovoltaic-Battery-Diesel Generator Microgrid Applicable to a Remote School of Bangladesh,” no. January 2020, pp. 1–19, 2021, doi: 10.1002/eng2.12281.

[49] M. Hosseina, M. S. Moghaddam, and A. Hassannia, “Optimizing energy and load management in island microgrids for enhancing resilience against resource

interruptions," pp. 1–24, 2025.

[50] I. Hossain, H. Zaman, A. Intekhab, A. Shufian, and D. Kumar, "Results in Engineering Optimizing power distribution and stability in islanded microgrids with wind energy integration using enhanced droop and virtual impedance control," *Results Eng.*, vol. 27, no. April, p. 106970, 2025, doi: 10.1016/j.rineng.2025.106970.

[51] A. Talamon, "Island mode operation in intelligent microgrid — Extensive analysis of a case study," no. March, pp. 1–13, 2021, doi: 10.1002/2050-7038.12950.

[52] J. G. Gomes, H. J. Xu, Q. Yang, and C. Y. Zhao, "An optimization study on a typical renewable microgrid energy system with energy storage," vol. 234, 2021, doi: 10.1016/j.energy.2021.121210.

[53] M. Gholami, S. M. Muyeen, and S. Abokhamis, "Development of new reliability metrics for microgrids : Integrating renewable energy sources and battery energy storage system," *Energy Reports*, vol. 10, pp. 2251–2259, 2023, doi: 10.1016/j.egyr.2023.09.047.

[54] K. S. El-bidairi, H. Duc, T. S. Mahmoud, S. D. G. Jayasinghe, and J. M. Guerrero, "Optimal sizing of Battery Energy Storage Systems for dynamic frequency control in an islanded microgrid : A case study of Flinders," vol. 195, 2020.

[55] T. E. Reserve and T. S. Costa, "Technical Evaluation of a PV-Diesel Hybrid System with Energy Storage : Case Study," 2020, doi: 10.3390/en13112969.

[56] S. William, S. Eliya, and J. Taulo, "Green Technologies and Sustainability Optimization and design of hybrid power system using HOMER pro and integrated CRITIC-PROMETHEE II approaches," *Green Technol. Sustain.*, vol. 1, no. 1, p. 100005, 2023, doi: 10.1016/j.grets.2022.100005.

[57] B. Baniya and D. Giurco, "Energy & Buildings Cost-effective and optimal pathways to selecting building microgrid components – The resilient , reliable , and flexible energy system under changing climate conditions," *Energy Build.*, vol. 324, no. July, p. 114896, 2024, doi: 10.1016/j.enbuild.2024.114896.

[58] A. Amer, A. Massoud, and K. Shaban, “Heliyon Optimization of hybrid renewable-diesel power plants considering operational cost , battery degradation , and emissions,” *Heliyon*, vol. 10, no. 6, p. e27021, 2024, doi: 10.1016/j.heliyon.2024.e27021.

[59] O. K. Ajiboye, C. V. Ochiegbu, and E. A. Ofosu, “A review of hybrid renewable energies optimisation : design , methodologies , and criteria,” vol. 6451, 2023, doi: 10.1080/14786451.2023.2227294.

[60] K. B. N, M. Abirami, D. Vighneshwari, and M. Hariprasath, “Techno-economic optimization of hybrid renewable systems for sustainable energy solutions,” pp. 1–30, 2025.